ELSEVIER

Brain Research 715 (1996) 235–236

BRAIN RESEARCH

Author Index

Abe, K., see Sarder, M. (715) 9
Ali, S.F., see Desai, V.G. (715) 1
Allen, G.V., Barbrick, B. and Esser, M.J.
Trigeminal-parabrachial connections: possible pathway for nociception-induced cardiovascular reflex responses (715) 125
Arnolda, L., see Sun, Q.-J. (715) 136
Augstein, K.-H., see Van der Staay, F.J. (715) 180

Barbrick, B., see Allen, G.V. (715) 125
Barnes, C.D., see Chen, S.-Y. (715) 44
Besson, J.-M., see Buritova, J. (715) 217
Bielajew, C., see Kelly, L. (715) 172
Bindoni, M., see Cardile, V. (715) 98
Brown, S.D., see Qian, J. (715) 51
Buritova, J., Chapman, V., Honoré, P. and Besson, J.-M.
Selective cyclooxygenase-2 inhibition reduces carrageenan oedema and associated spinal c-Fos expression in the rat (715) 217
Butelman, E.R., see Jewett, D.C. (715) 25

Cardile, V., Jiang, X., Renis, M. and Bindoni, M.
Effects of ether lipid 1-*O*-octadecyl-2-methoxy-*rac*-glycero-3-phosphocholine and its analogs PAF and CPAF on the release of nitric oxide in primary cultures of rat astrocytes (715) 98
Carlton, S.M., see Qian, J. (715) 51
Chalmers, J., see Sun, Q.-J. (715) 136
Chapman, V., see Buritova, J. (715) 217
Chen, S.-Y., Harding, J.W. and Barnes, C.D.
Neuropathology of synthetic β-amyloid peptide analogs in vivo (715) 44
Chitravanshi, V.C. and Sapru, H.N.
NMDA as well as non-NMDA receptors mediate the neurotransmission of inspiratory drive to phrenic motoneurons in the adult rat (715) 104
Corio, M., see Marcos, P. (715) 63

Dave, S. and Mogul, D.J.
ATP receptor activation potentiates a voltage-dependent Ca channel in hippocampal neurons (715) 208
Deguchi, T., see Ichikawa, H. (715) 71
Desai, V.G., Feuers, R.J., Hart, R.W. and Ali, S.F.
MPP^+-induced neurotoxicity in mouse is age-dependent: evidenced by the selective inhibition of complexes of electron transport (715) 1
De Wildt, D.J., see Herz, R.C.G. (715) 163
Dluzen, D.E.
Effects of testosterone upon MPTP-induced neurotoxicity of the nigrostriatal dopaminergic system of C57/Bl mice (715) 113
Doherty, M.D. and Gratton, A.
Medial prefrontal cortical D_1 receptor modulation of the meso-accumbens dopamine response to stress: an electrochemical study in freely-behaving rats (715) 86
Dubourg, P., see Marcos, P. (715) 63

Edbladh, M., see Wiklund, P. (715) 145
Edström, A., see Wiklund, P. (715) 145
Ekström, P.A.R., see Wiklund, P. (715) 145
Esser, M.J., see Allen, G.V. (715) 125

Feuers, R.J., see Desai, V.G. (715) 1
Fujino, Y., Koyama, N. and Yokota, T.
Differential distribution of three types of nociceptive neurons within the caudal bulbar reticular formation in the cat (715) 225
Fujino, Y., see Yokota, T. (715) 230
Fujiyama, R., see Miyamoto, T. (715) 79
Fujiyoshi, Y., see Ichikawa, H. (715) 71

Gaillard, P.J., see Herz, R.C.G. (715) 163
Gardner, C.R., see Pringle, A.K. (715) 155
Gatti, P.J., see Massari, V.J. (715) 197
Gillis, R.A., see Massari, V.J. (715) 197
Gratton, A., see Doherty, M.D. (715) 86

Harding, J.W., see Chen, S.-Y. (715) 44
Hart, R.W., see Desai, V.G. (715) 1
Herz, R.C.G., Gaillard, P.J., De Wildt, D.J. and Versteeg, D.H.G.
Differences in striatal extracellular amino acid concentrations between Wistar and Fischer 344 rats after middle cerebral artery occlusion (715) 163
Honoré, P., see Buritova, J. (715) 217
Horváth, E., see Van der Staay, F.J. (715) 180

Ichikawa, H., Deguchi, T., Fujiyoshi, Y., Nakago, T., Jacobowitz, D.M. and Sugimoto, T.
Calbindin-D28k-immunoreactivity in the trigeminal ganglion neurons and molar tooth pulp of the rat (715) 71

Jacobowitz, D.M., see Ichikawa, H. (715) 71
Jewett, D.C., Butelman, E.R. and Woods, J.H.
Nitric oxide synthase inhibitors produce phencyclidine-like behavioral effects in pigeons (715) 25
Jiang, X., see Cardile, V. (715) 98
Johnson, T.A., see Massari, V.J. (715) 197

Keep, R.F. and Xiang, J.
Choroid plexus taurine transport (715) 17
Kelly, L. and Bielajew, C.
Short-term stimulation-induced decreases in brown fat temperature (715) 172
Koyama, N., see Fujino, Y. (715) 225
Koyama, N., see Yokota, T. (715) 230

Lai, Q.-C., see Tseng, G.-F. (715) 32
Lehning, E.J., Stys, P.K. and LoPachin Jr., R.M.
Reoxygenation of anoxic peripheral nerve myelinated axons promotes re-establishment of normal elemental composition (715) 189
Levitt, P., see Wang, X.-H. (715) 221
Llewellyn-Smith, I., see Sun, Q.-J. (715) 136
LoPachin Jr., R.M., see Lehning, E.J. (715) 189

Marcos, P., Corio, M., Dubourg, P. and Tramu, G.
Reciprocal synaptic connections between neurotensin- and tyrosine hydroxylase-immunoreactive neurons in the mediobasal hypothalamus of the guinea pig (715) 63
Marsden, C.A., see Wongwitdecha, N. (715) 119
Massari, V.J., Johnson, T.A., Gillis, R.A. and Gatti, P.J.
What are the roles of substance P and neurokinin-1 receptors in the control of negative chronotropic or negative dromotropic vagal motoneurons? A physiological and ultrastructural analysis (715) 197
Minson, J., see Sun, Q.-J. (715) 136
Miyamoto, T., Fujiyama, R., Okada, Y. and Sato, T.
Properties of Na^+-dependent K^+ conductance in the apical membrane of frog taste cells (715) 79
Mogul, D.J., see Dave, S. (715) 208
Murphy, E.H., see Wang, X.-H. (715) 221

Nakago, T., see Ichikawa, H. (715) 71
Nishikawa, Y., see Yokota, T. (715) 230
Nishiyama, N., see Sarder, M. (715) 9

O'Brien Jenkins, A., see Wang, X.-H. (715) 221
Okada, Y., see Miyamoto, T. (715) 79

Pilowsky, P., see Sun, Q.-J. (715) 136
Pringle, A.K., Gardner, C.R. and Walker, R.J.
Biphasic actions of the benzodiazepine receptor inverse agonist RU34347 in the rat cerebellar slice (715) 155

Qian, J., Brown, S.D. and Carlton, S.M.
Systemic ketamine attenuates nociceptive behaviors in a rat model of peripheral neuropathy (715) 51

Renis, M., see Cardile, V. (715) 98

Saito, H., see Sarder, M. (715) 9
Sapru, H.N., see Chitravanshi, V.C. (715) 104
Sarder, M., Abe, K., Saito, H. and Nishiyama, N.
Comparative effect of IL-2 and IL-6 on morphology of cultured hippocampal neurons from fetal rat brain (715) 9
Sato, T., see Miyamoto, T. (715) 79
Stys, P.K., see Lehning, E.J. (715) 189
Sugimoto, T., see Ichikawa, H. (715) 71
Sun, Q.-J., Llewellyn-Smith, I., Minson, J., Arnolda, L., Chalmers, J. and Pilowsky, P.
Thyrotropin-releasing hormone immunoreactive boutons form close appositions with medullary expiratory neurons in the rat (715) 136

Tonge, D., see Wiklund, P. (715) 145
Tramu, G., see Marcos, P. (715) 63
Tseng, G.-F., Wang, Y.-J. and Lai, Q.-C.
Perineuronal microglial reactivity following proximal and distal axotomy of rat rubrospinal neurons (715) 32

Van der Staay, F.J., Augstein, K.-H. and Horváth, E.
Sensorimotor impairments in Wistar Kyoto rats with cerebral infarction, induced by unilateral occlusion of the middle cerebral artery: recovery of function (715) 180
Versteeg, D.H.G., see Herz, R.C.G. (715) 163

Walker, R.J., see Pringle, A.K. (715) 155
Wang, X.-H., Levitt, P., O'Brien Jenkins, A. and Murphy, E.H.
Normal development of tyrosine hydroxylase and serotonin immunoreactive fibers innervating anterior cingulate cortex and visual cortex in rabbits exposed prenatally to cocaine (715) 221
Wang, Y.-J., see Tseng, G.-F. (715) 32
Wiklund, P., Ekström, P.A.R., Edbladh, M., Tonge, D. and Edström, A.
Protein kinase C and mouse sciatic nerve regeneration (715) 145
Wongwitdecha, N. and Marsden, C.A.
Effects of social isolation rearing on learning in the Morris water maze (715) 119
Woods, J.H., see Jewett, D.C. (715) 25

Xiang, J., see Keep, R.F. (715) 17

Yokota, T., Nishikawa, Y., Koyama, N. and Fujino, Y.
Differential distribution of four types of tooth pulp neurons in the caudal medulla oblongata of the cat (715) 230
Yokota, T., see Fujino, Y. (715) 225